



TAL
EXPLORING LIGHT

exterior



P.37

BOA



P.38

BRIX CEILING



P.39

BRIX WALL




P.31

GREG SMALL



P.20

GUARDIAN



P.22

GUARDIAN + SOCKET




P.32

HEKOWA 50



P.35

HEKOWA 100




P.29

HELAX




P.25

HELAX SML



P.12

MENHIR



P.26

MICRO HELAX



P.15

PULSAR



P.17

ROSEAU



P.5

ROUSITTA




P.9

SPYKE



NEW



Rousitta

ANNULAR LED ARRAY - 3,2W - 24V DC

192 lumen 2700K CRI92
214 lumen 3000K CRI92
Lambertian
dimmability: Depending on driver

housing	2700K	3000K	€
moss green	416806	416816	210,-
text. black	416826	416836	210,-
rusty brown	416808	416818	210,-


4000K on demand


Converter matrix, see website



scan for
specsheet - price







Spyke Pin

ANNULAR LED ARRAY - 7,8W - 230V 50-60HZ AC

780 lumen 2700K CRI92
794 lumen 3000K CRI92
Lambertian
dimmability: mains dim LC

housing	2700K	3000K	€
moss green	478906	478916	390,-
text. black	478926	478936	390,-
text. grey	478903	478913	390,-
silver anthracite	478923	478933	390,-


4000K on demand



scan for
specsheet - price







Menhir 250


A60 - MAX 40W - 230V 50-60Hz AC
E27
dimmability: dependent on bulb

housing		€
text. black	360526	454,-
text. grey	360533	454,-
silver anthracite	360530	454,-
+ Groundpin	260992	77,-



scan for
specsheet - price





Pulsar Pin

LUXEON M - 3,82W - 230V 50-60HZ AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC

housing	2700K			€
	9°	38°	60°	
text. black	352126	352226	352326	418,-
text. grey	352103	352203	352303	418,-
silver anthracite	352123	352223	352323	418,-
housing	3000K			€
	9°	38°	60°	
text. black	352136	352236	352336	418,-
text. grey	352113	352213	352313	418,-
silver anthracite	352133	352233	352333	418,-

4000K on demand



Pulsar Base

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC

housing	2700K			€
	9°	38°	60°	
text. black	352426	352526	352626	355,-
text. grey	352403	352503	352603	355,-
silver anthracite	352423	352523	352623	355,-
housing	3000K			€
	9°	38°	60°	
text. black	352436	352536	352636	355,-
text. grey	352413	352513	352613	355,-
silver anthracite	352433	352533	352633	355,-
+ Groundpin	260990			73,-

4000K on demand




scan for
specsheel - price



scan for
specsheel - price





Roseau Pin

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC
beam 60°


housing	2700K	3000K	€
text. black	416126	416136	444,-
text. grey	416103	416113	444,-
silver anthracite	416123	416133	444,-

4000K on demand



scan for
specsheet - price





Roseau Floor Small

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC
beam 60°

housing	2700K	3000K	€
text. black	416226	416236	673,-
text. grey	416203	416213	673,-
silver anthracite	416223	416233	673,-

4000K on demand



Roseau Floor Large

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC
beam 60°

housing	2700K	3000K	€
text. black	416326	416336	692,-
text. grey	416303	416313	692,-
silver anthracite	416323	416333	692,-

4000K on demand



scan for
specsheet - price




scan for
specsheet - price





Guardian Small

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC
beam 36°



housing	2700K	3000K	€
text. black	431226	431626	350,-
text. grey	431203	431603	350,-
silver anthracite	431223	431623	350,-
+ Groundpin		260992	77,-

i 4000K on demand



scan for
specsheet - price






NEW

Guardian Large

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC
beam 36°




housing	2700K	3000K	€
text. black	431326	431726	420,-
text. grey	431303	431703	420,-
silver anthracite	431323	431723	420,-
+ Groundpin		260992	77,-

4000K on demand



Guardian Large + Socket

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC
beam 36°



housing	socket	2700K	3000K	€
text. black	(BE-FR)	431336	431736	500,-
text. grey	(BE-FR)	431313	431713	500,-
silver anthracite	(BE-FR)	431333	431733	500,-
text. black	(EU)	431366	431766	500,-
text. grey	(EU)	431343	431743	500,-
silver anthracite	(EU)	431363	431763	500,-
+ Groundpin			260992	77,-

4000K on demand





scan for
specsheet - price



scan for
specsheet - price






56 mm / Installation
depth 70 mm solid ceilings

55 mm / Installation
depth 55 mm hollow ceilings

LEAF



55 mm
Installation depth 65 mm

TORSION

Helax SML Out Leaf / Torsion

LUXEON M - 3,82W - 350mA DC - (10,95 Vf)
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: PWM/CCR
beam 36°

	housing	2700K LEAF	3000K LEAF	€	2700K TORSION	3000K TORSION	€
IP 65	text. black	178526	178536	119,-	178626	178636	119,-
	text. white	178547	178557	119,-	178647	178657	119,-


	housing	2700K LEAF		3000K LEAF	€	2700K TORSION		3000K TORSION	€
	text. black	178725		178726	152,-	178735		178736	152,-
	text. white	178746		178747	152,-	178756		178757	152,-

 Suitable for aggressive environments f.ex. coastal areas and swimming pools

4000K on demand

CASAMBI
ON DEMAND

Converter matrix,
see website




scan for
specsheet - price





Micro Helax Out 400

LUXEON M - 3,82W - 350mA DC - (10,95 Vf)
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: PWM/CCR
beam 36°



housing	2700K	3000K	€
text. black	178946	178947	92,-
text. white	178940	178941	92,-

4000K on demand

CASAMBI
ON DEMAND


Converter matrix,
see website

IP 65

0.2


scan for
specsheet - price





70 mm
Installation depth
85 mm hollow ceilings /
100 mm solid ceilings

LEAF



70 mm
Installation depth
85 mm

TORSION

Helax 70 Out Haloed Leaf / Torsion

LUXEON M - 7,84W - 700mA DC - (11,2 Vf)
755 lumen 2700K CRI90
810 lumen 3000K CRI90
dimmability: PWM/CCR
beam 36°

housing	2700K LEAF	3000K LEAF	€
text. black	249046	249056	122,-
text. white	249047	249057	122,-

housing	2700K TORSION	3000K TORSION	€
text. black	249016	249026	122,-
text. white	249017	249027	122,-

4000K on demand

CASAMBI
ON DEMAND

Converter matrix,
see website


CE

IP 54

0,2


scan for
specsheet - price





Greg Small

CREE XPE - 1,2W - 230V 50-60Hz AC
94 lumen 2700K CRI80
94 lumen 3000K CRI80
dimmability: not dimmable



housing	2700K	3000K	€
text. black	186286	186296	164,-
text. grey	186224	186234	164,-
silver anthracite	186283	186293	164,-
+ Greg installation box 93 x 93 x 90 mm		168999	17,-



scan for
specsheet - price






Hekowa Single 230V

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: mains dim RC
beam 36°

housing	2700K	3000K	€
text. black	473066	473076	343,-
text. grey	473043	473053	343,-
silver anthracite	473063	473073	343,-

4000K on demand



Hekowa Single 350mA

LUXEON M - 3,82W - 350mA DC - (10,95Vf)
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: PWM/CCR
beam 36°

housing	2700K	3000K	€
text. black	473226	473236	295,-
text. grey	473203	473213	295,-
silver anthracite	473223	473233	295,-

4000K on demand




scan for
specsheet - price



scan for
specsheet - price





Hekowa Double 230v

LUXEON M - (2X) 3,82W - 230V 50-60HZ AC
2x 400 lumen 2700K CRI90
2x 429 lumen 3000K CRI90
dimmability: mains dim LC
beam 36°

housing	2700K	3000K	€
text. black	473166	473176	519,-
text. grey	473143	473153	519,-
silver anthracite	473163	473173	519,-

4000K on demand



Hekowa Double 350mA

LUXEON M - (2X) 3,82W - 350mA DC - (2x 10,95 Vf)
2x 400 lumen 2700K CRI90
2x 429 lumen 3000K CRI90
dimmability: PWM/CCR
beam 36°

housing	2700K	3000K	€
text. black	473326	473336	472,-
text. grey	473303	473313	472,-
silver anthracite	473323	473333	472,-

4000K on demand




scan for
specsheet - price



scan for
specsheet - price





Boa Wall Out

CLARA AC - 10W - 230V 50-60Hz AC
1050 lumen 2700K CRI90
1050 lumen 3000K CRI80
dimmability: mains dim RC
⬆ up/down

housing	focus	2700K	3000K	€
text. white	silver ano	406410	406400	390,-
text. black	silver ano	406470	406460	390,-
text. grey	silver ano	406430	406420	390,-
text. black	gold ano	406426	406416	390,-

4000K on demand




scan for
specsheet - price






Brix Ceiling

LUXEON M - 3,82W - 230V - 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: dimmable RC
beam 36°



housing	2700K	3000K	€
text. black	260972	260982	299,-
text. grey	260976	260986	299,-
silver anthracite	260974	260984	299,-

4000K on demand



scan for
specsheet - price





Brix Single

LUXEON M - 3,82W - 230V 50-60Hz AC
400 lumen 2700K CRI90
429 lumen 3000K CRI90
dimmability: dimmable RC
beam 70°

up or down

housing	2700K	3000K	€
text. black	260941	260931	380,-
text. grey	260943	260933	380,-
silver anthracite	260947	260937	380,-

4000K on demand



Brix Double

LUXEON M - (2X) 3,82W - 230V 50-60HZ AC
2x 400 lumen 2700K CRI90
2x 429 lumen 3000K CRI90
dimmability: dimmable LC
beam 70°

up/down

housing	2700K	3000K	€
text. black	260942	260932	500,-
text. grey	260946	260936	500,-
silver anthracite	260944	260934	500,-

4000K on demand



scan for
specsheet - price



scan for
specsheet - price



Find lighting inspiration
on @tal_lighting



TAL NV
Moortelmeers 23
8740 Pittem
tel +32 (0)51 46 43 41
info@tal.be • www.tal.be

TAL dealers, see website

All rights reserved

The information in this catalogue is provided without liability.
TAL reserves the right to change materials, prices, characteristics
and dimensions without prior notice. Read all instructions carefully.
TAL general conditions of sale apply.
TAL shall not be held liable for any discrepancies between the
illustrations or descriptions given and the actual product neither
for any misprints and/ or typing errors.
We took the liberty of editing some original images to give you
an impression of how our luminaires improve living, office,
outdoor, and other spaces.
Nothing in this catalogue may be reproduced without written
permission from TAL.
This catalogue supersedes and replaces all previous catalogues.

Concept & creation: TAL nv





TAL

EXPLORING LIGHT

www.TAL.be